

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|--|---|
| Permit Number: 10-51-00876 Name of Facility: Plantation Oaks Elementary Address: 4150 Plantation Oaks Boulevard City, Zip: Orange Park 32065 Type: Public Schools Owner: Clay County School Board Person In Charge: Doris Ford Phone: 904-336-2775 PIC Email: Doris.ford@myoneclay.net | Correct By: Next Inspection Re-Inspection Date: None |
|--|---|

Inspection Information

| | |
|---|--|
| Purpose: Routine Inspection Date: 10/23/2023 | Begin Time: 12:55 PM End Time: 01:53 PM |
|---|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 475 MALES 475 | CENSUS 950 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|--|---|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction IN 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms IN 12. Toilet Facilities IN 13. Handwashing Facilities IN 14. Soap Dispensers NA 15. Shower Facilities NA 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source OUT 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION NA 23. Sanitizers NA 24. Changing Station & Mats NA 25. Hand Sink NA 26. Garbage Can ANIMAL HEALTH & SAFETY NA 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES NA 28. Maintenance/Complaint IN 29. Other |
|--|---|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

General Comments

| |
|--|
| Conditions satisfactory Email Address(es): Doris.ford@myoneclay.net |
|--|

Inspector Signature:

Client Signature:

[Handwritten Signature]

[Handwritten Signature]

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 2

Violations Comments

Violation #18. Drinking Fountains

The fountain in 706 needs repair

CODE REFERENCE: 18. Drinking Fountains. 5(16)(b)9 SREF. Drinking fountains shall be maintained in an operational condition at all times. 5(1)(e)8.b SREF. Toilet rooms, shower and locker rooms, drinking water fountains, and clinics shall be cleaned & disinfected daily using an appropriate Germicidal Detergent. Note: Drinking fountains shall be rinsed or flushed with plain water after disinfection. 468.3.5.1 FBC. Educational & ancillary facilities shall have drinking fountains for all occupants, in ratios & accessible as required.

Inspection Conducted By: Henry Klesh (5622)
Inspector Contact Number: Work: (904) 278-3786 ex.
Print Client Name: Doris Ford
Date: 10/23/2023

Inspector Signature:

Form Number: DH 4030 12/16A

Client Signature:

10-51-00876 Plantation Oaks Elementary

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



1 of 2

Facility Information

RESULT: Satisfactory

| | |
|---|---|
| Permit Number: 10-51-00376 Name of Facility: R C Bannerman Learning Center Address: 608 Mill Street City, Zip: Green Cove Springs 32043 Type: Public Schools Owner: Clay County School Board Person In Charge: Jason Kendall Phone: (904) 284-6589 PIC Email: Jason.kendall@myoneclay.net | Correct By: Next Inspection Re-Inspection Date: None |
|---|---|

Inspection Information

| | |
|---|--|
| Purpose: Routine Inspection Date: 2/5/2024 | Begin Time: 10:35 AM End Time: 11:46 AM |
|---|--|

Additional Information

| | |
|-------------------------------------|------------------|
| FEMALES 80 MALES 120 | CENSUS 200 |
|-------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|---|---|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction IN 5. Maintenance & Repair OUT 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms OUT 12. Toilet Facilities IN 13. Handwashing Facilities IN 14. Soap Dispensers NA 15. Shower Facilities NA 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source IN 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION IN 23. Sanitizers IN 24. Changing Station & Mats IN 25. Hand Sink IN 26. Garbage Can ANIMAL HEALTH & SAFETY IN 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES IN 28. Maintenance/Complaint IN 29. Other |
|---|---|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 2

General Comments

Other conditions Satisfactory
Check wood decking outside 13

Email Address(es): Jason.Kendall@myoneclay.net;
Bryan.cox@myoneclay.net

Violations Comments

Violation #6. Lighting Standards
Portable 38
5 lights out

Violation #12. Toilet Facilities
Gang bathroom 101 needs soap (Male), 100 Female needs dryer repaired or paper towels
CODE REFERENCE: 12. Toilet Facilities. 5(16)(b)2.c SREF. Deodorizers shall not be used in toilet rooms. 5(10)(f) SREF. Toilet and bath accessories, including grab bars; toilet paper dispensers; paper towel dispensers or hot-air drying devices; napkin disposal units; shelving, and mirrors, where provided, shall be maintained in a safe and secure condition at all times. The use of common or public towels shall not be permitted. 5(13)(f)4 SREF. Toilet facilities shall have a nonslip, impervious floor, impervious base, and minimum four foot- high impervious wainscot. 5(13)(p)2 SREF. Each staff toilet room shall be provided with at least one water closet and one lavatory and shall be provided with hot and cold water at the lavatory. 5(14)(b)10.a SREF. Walls in toilet rooms shall be finished with impervious materials to a minimum height of four feet. Floor and base in individual or group toilet rooms shall be impervious. 468.3.5.4 FBC. The entry to each group toilet room shall be provided with a door, partition, or other shielding device to block from view the occupants in the toilet room. If a door is provided, it shall have a closer. 5(16)(b)1 SREF. Toilet facilities shall be maintained in a satisfactory state of repair at all times. 5(16)(b)2.a. SREF. Water closets, urinals, lavatories, faucets, flush valves, dispensers, partitions, lower half of walls, and floors shall be maintained in a clean & sanitary condition at all times. Jason Kendall

Inspection Conducted By: Henry Klesh (5622)
Inspector Contact Number: Work: (904) 278-3786 ex.
Print Client Name:
Date: 2/5/2024

Inspector Signature:

Handwritten signature of Henry Klesh.

Client Signature:

Handwritten signature of Jason Kendall.

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|---|---|
| Permit Number: 10-51-00073 Name of Facility: R M Paterson Elementary School Address: 5400 Pine Avenue City, Zip: Fleming Island 32003 Type: Public Schools Owner: Clay County School Board Person In Charge: Tracy Hampshire Phone: (904) 336-2575 PIC Email: Tracy.hampshire@myoneclay.net | Correct By: Next Inspection Re-Inspection Date: None |
|---|---|

Inspection Information

| | |
|--|--|
| Purpose: Routine Inspection Date: 1/26/2024 | Begin Time: 11:55 AM End Time: 01:26 PM |
|--|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 357 MALES 329 | CENSUS 686 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|--|---|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction IN 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms OUT 12. Toilet Facilities IN 13. Handwashing Facilities IN 14. Soap Dispensers NA 15. Shower Facilities NA 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source IN 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION IN 23. Sanitizers IN 24. Changing Station & Mats IN 25. Hand Sink IN 26. Garbage Can ANIMAL HEALTH & SAFETY IN 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES IN 28. Maintenance/Complaint IN 29. Other |
|--|---|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

General Comments

| |
|--|
| Other conditions satisfactory |
| Email Address(es): Tracy.hampshire@myoneclay.net |

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 2

Violations Comments

Violation #12. Toilet Facilities

There is a urinal out of order in island restroom 4th-6th grade

CODE REFERENCE: 12. Toilet Facilities. 5(16)(b)2.c SREF. Deodorizers shall not be used in toilet rooms. 5(10)(f) SREF. Toilet and bath accessories, including grab bars; toilet paper dispensers; paper towel dispensers or hot-air drying devices; napkin disposal units; shelving, and mirrors, where provided, shall be maintained in a safe and secure condition at all times. The use of common or public towels shall not be permitted. 5(13)(f)4 SREF. Toilet facilities shall have a nonslip, impervious floor, impervious base, and minimum four foot- high impervious wainscot. 5(13)(p)2 SREF. Each staff toilet room shall be provided with at least one water closet and one lavatory and shall be provided with hot and cold water at the lavatory. 5(14)(b)10.a SREF. Walls in toilet rooms shall be finished with impervious materials to a minimum height of four feet. Floor and base in individual or group toilet rooms shall be impervious. 468.3.5.4 FBC. The entry to each group toilet room shall be provided with a door, partition, or other shielding device to block from view the occupants in the toilet room. If a door is provided, it shall have a closer. 5(16)(b)1 SREF. Toilet facilities shall be maintained in a satisfactory state of repair at all times. 5(16)(b)2.a. SREF. Water closets, urinals, lavatories, faucets, flush valves, dispensers, partitions, lower half of walls, and floors shall be maintained in a clean & sanitary condition at all times.

Inspection Conducted By: Henry Klesh (5622)
Inspector Contact Number: Work: (904) 278-3786 ex.
Print Client Name: Tracy Hampshire
Date: 1/26/2024

Inspector Signature:

Handwritten signature of Henry Klesh.

Client Signature:

Handwritten signature of Tracy Hampshire.

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|---|---|
| Permit Number: 10-51-00592 Name of Facility: RideOut Elementary School Address: 3560 Apalachicola Boulevard City, Zip: Middleburg 32068 Type: Public Schools Owner: Clay County School Board Person In Charge: Trish Stuart Phone: 904-504-1463 PIC Email: Trish.Stuart@myoneclay.net | Correct By: Next Inspection Re-Inspection Date: None |
|---|---|

Inspection Information

| | |
|--|--|
| Purpose: Routine Inspection Date: 6/13/2024 | Begin Time: 12:48 PM End Time: 02:07 PM |
|--|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 280 MALES 260 | CENSUS 560 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|--|---|--|
| SCHOOL SANITATION IN 1. School Site OUT 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction IN 5. Maintenance & Repair OUT 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms IN 12. Toilet Facilities OUT 13. Handwashing Facilities IN 14. Soap Dispensers IN 15. Shower Facilities IN 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source IN 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION IN 23. Sanitizers IN 24. Changing Station & Mats IN 25. Hand Sink IN 26. Garbage Can ANIMAL HEALTH & SAFETY IN 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES IN 28. Maintenance/Complaint IN 29. Other |
|--|---|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



General Comments

Inspection conducted with Building official Mark Thomas (Mark.thomas@myoneclay.net)
Check fountain near preK portable
Check ventilation in restroom 214
Fire extinguisher in stage storage tagged September 2022

Conditions satisfactory

Email Address(es): Trish.Stuart@myoneclay.net;
Mark.thomas@myoneclay.net

Violations Comments

Violation #2. Playground, Equipment & Athletic Fields
one swing is broken

CODE REFERENCE: 2. Playgrounds, Equipment and Athletic Fields. 5(2)(k) SREF. Playgrounds, equipment, and athletic fields where provided, shall be maintained in a safe and acceptable condition for the intended function. 5(2)(k)1 SREF. Play areas and athletic fields where fencing is provided shall comply with SREF, Section 5(2)(d). 5(2)(k)2 SREF. Pre-K, kindergarten, or day-care play areas, where provided, shall have direct access to and from their related classrooms or to a corridor providing immediate and safe access to the play area. 5 (2)(k)3 SREF. Play areas and athletic fields, where provided, shall have either direct access from the facility without crossing roads, traffic lanes, drives, or parking lots, or have appropriate safety devices provided where access crosses parking areas or drives. 5(2)(a)8 SREF. The playground shall be graded and drained to prevent an unintentional accumulation of standing surface water and debris. 468.2.2 FBC. Playground and equipment shall be safe, structurally sound, vermin proof, and shall not have jagged or sharp projections. Playground equipment shall be anchored to prevent toppling or dislodgement. Cushioning materials such as mats, wood chips, or sand shall be used under climbing equipment, slides, and swings.

Violation #6. Lighting Standards

Light out in restroom 421 appears to be out

CODE REFERENCE: 6. Lighting Standards. 468.3.2. FBC. Sources of natural light in instructional spaces shall be glazed with glare reducing materials or shall be shielded to prevent glare that can interfere with seeing task.

Violation #13. Handwashing Facilities

hand sinks missing push caps- boys 214 and 122

CODE REFERENCE: 13. Handwashing Facilities. 5(13)(h)1 SREF. Hot and cold water shall be provided in toilet rooms at the lavatory. Hot water temperature shall not exceed 110°F. 468.3.5.7.1 FBC. Handwashing facilities shall be located within or adjoining each toilet room.

Inspection Conducted By: Henry Klesh (5622)
Inspector Contact Number: Work: (904) 278-3786 ex.
Print Client Name: Trish Stuart
Date: 6/13/2024

Inspector Signature:

Handwritten signature of Henry Klesh.

Client Signature:

Handwritten signature of Mark Thomas.

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



1 of 2

Facility Information

RESULT: Satisfactory

| | |
|---|---|
| Permit Number: 10-51-00074 Name of Facility: Ridgeview Elementary Address: 421 Jefferson Avenue City, Zip: Orange Park 32065 Type: Public Schools Owner: Clay County School Board Person In Charge: Wayne Wisseman Phone: (904) 284-6500 PIC Email: Robert.Wisseman@myoneclay.net | Correct By: Next Inspection Re-Inspection Date: None |
|---|---|

Inspection Information

| | |
|--|--|
| Purpose: Routine Inspection Date: 9/18/2023 | Begin Time: 12:00 PM End Time: 12:47 PM |
|--|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 271 MALES 320 | CENSUS 591 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|---|--|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction OUT 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms IN 12. Toilet Facilities IN 13. Handwashing Facilities IN 14. Soap Dispensers NA 15. Shower Facilities NA 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source OUT 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal OUT 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION IN 23. Sanitizers IN 24. Changing Station & Mats IN 25. Hand Sink IN 26. Garbage Can ANIMAL HEALTH & SAFETY NA 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES NA 28. Maintenance/Complaint IN 29. Other |
|---|--|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

General Comments

| |
|---|
| Playground equipment in good repair. Other conditions satisfactory Email Address(es): Robert.Wisseman@myoneclay.net |
|---|

Inspector Signature: **Client Signature:**

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 2

Violations Comments

Violation #5. Maintenance & Repair

There are two loose faucets and an out of order toilet boys 614

CODE REFERENCE: 5. Maintenance and Repair. 5(1)(e)8.h SREF. Light fixtures and window surfaces, both inside and outside, shall be kept clean, serviceable, and in good repair at all times. 5(1)(e)8.i. Custodial areas shall be kept clean, safe, and orderly at all times. Custodial equipment shall be in good repair at all times. 5(1)(e)8.j SREF. Building components & finishes shall be kept clean & in good repair.

Violation #18. Drinking Fountains

Fountain doesn't work 705

CODE REFERENCE: 18. Drinking Fountains. 5(16)(b)9 SREF. Drinking fountains shall be maintained in an operational condition at all times. 5(1)(e)8.b SREF. Toilet rooms, shower and locker rooms, drinking water fountains, and clinics shall be cleaned & disinfected daily using an appropriate Germicidal Detergent. Note: Drinking fountains shall be rinsed or flushed with plain water after disinfection. 468.3.5.1 FBC. Educational & ancillary facilities shall have drinking fountains for all occupants, in ratios & accessible as required.

Violation #20. Solid Waste

Both dumpsters are rusted out and not leakproof

CODE REFERENCE: 20. Solid Waste. 5(1)(e)8.e SREF. Trash and waste containers shall be provided in all areas, sufficient in number and emptied daily. Trash shall be stored in bins or containers in a central waste disposal area until removed. 5(1)(e)8.f SREF. Garbage, trash, & rubbish shall be collected, stored, and disposed of at a frequency and manner that prevents a sanitary nuisance. 5(1)(c)(d) SREF. Waste containers, including dumpsters, shall be accessible for maintenance and sanitation. Collectors and dumpsters shall be located on a concrete slab. Wet garbage shall be stored in impermeable, leak-proof, fly-tight containers. 468.2.3 FBC. A smooth nonabsorbent surface shall be provided for outdoor waste containers.

Inspection Conducted By: Henry Klesh (5622)
Inspector Contact Number: Work: (904) 278-3786 ex.
Print Client Name: Wayne Wisseman
Date: 9/18/2023

Inspector Signature:

Client Signature:

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|---|---|
| Permit Number: 10-51-00075 Name of Facility: Ridgeview High School Address: 466 Madison Avenue City, Zip: Orange Park 32065 Type: Public Schools Owner: Clay County School Board Person In Charge: Donald Speights Phone: (904) 284-6500 PIC Email: George.Speights@MyOneClay.net | Correct By: Next Inspection Re-Inspection Date: None |
|---|---|

Inspection Information

| | |
|---|--|
| Purpose: Routine Inspection Date: 3/7/2024 | Begin Time: 12:12 PM End Time: 01:38 PM |
|---|--|

Additional Information

| | |
|---------------------------------------|-------------------|
| FEMALES 1026 MALES 995 | CENSUS 2021 |
|---------------------------------------|-------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|---|---|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction OUT 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | OUT 11. Group Toilet Rooms IN 12. Toilet Facilities OUT 13. Handwashing Facilities IN 14. Soap Dispensers IN 15. Shower Facilities IN 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source OUT 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION NA 23. Sanitizers NA 24. Changing Station & Mats NA 25. Hand Sink NA 26. Garbage Can ANIMAL HEALTH & SAFETY NA 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES NA 28. Maintenance/Complaint NA 29. Other |
|---|---|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 3

General Comments

Email Melissa.Johnson@FLHealth.gov if you have any questions or concerns.

Email Address(es): George.Speights@MyOneClay.net;
Stephanie.Raucci@MyOneClay.net

Violations Comments

Violation #5. Maintenance & Repair

There are water damaged ceiling tiles within rooms 34, 61, 302, 340, and 506, the library, in front of 548, and within the hallways of Building 6. REPEAT. Correct prior to next inspection.

Missing ceiling tiles within weight room and within wrestling room. Correct prior to next inspection.

One light needs to be replaced within rooms 43, 70, and 87. Correct prior to next inspection.

One missing light cover within room 70. Correct prior to next inspection.

Multiple light covers are missing within the girl's and boy's locker rooms and within Building 3's hallways. Correct prior to next inspection.

Four lights need to be replaced and two light covers are cracked within portable 10. Correct prior to next inspection.

Multiple lights within the library, rooms 524 and 639, and within the chorus and band rooms need to be replaced. REPEAT. Correct prior to next inspection.

CODE REFERENCE: 5. Maintenance and Repair. 5(1)(e)8.h SREF. Light fixtures and window surfaces, both inside and outside, shall be kept clean, serviceable, and in good repair at all times. 5(1)(e)8.i. Custodial areas shall be kept clean, safe, and orderly at all times. Custodial equipment shall be in good repair at all times. 5(1)(e)8.j SREF. Building components & finishes shall be kept clean & in good repair.

Violation #11. Group Toilet Rooms

The boy's group restroom within building 6 has a broken paper towel dispenser within it with no paper towels. Correct prior to next inspection.

The girl's group restroom - 002B - is missing a sanitary box within one stall. Correct prior to next inspection.

The girl's group restroom - 42 - has a broken toilet paper dispenser with no toilet paper within one stall. Correct prior to next inspection.

The boy's group restroom - 42 - has an inoperable toilet within one stall. Correct prior to next inspection.

The girl's group restroom in the front lobby of the gym is missing some sanitary boxes. Correct prior to next inspection.

CODE REFERENCE: 11. Group Toilet Rooms. 5(16)(b)7 SREF. Group toilet rooms, where provided, shall meet the following requirements: 5(16)(b)7.a SREF. Entrances to group toilet rooms shall be provided with a partition or other shielding device to block occupants from view. 5(16)(b)7.b SREF. A partition shall be placed between each water closet. Water closet stalls shall be provided with doors. The partitions and doors shall be maintained in a safe, secure, and operational condition at all times. 5(10)(e) SREF. Toilet Partitions. Toilet compartments, partitions, and doors may be provided in other areas, such as locker rooms, and shall be finished with noncorrosive, impervious materials. 468.3.5.3.2 FBC. Access to student group toilet rooms shall not be through an occupied space, storage space, or equipment space. 468.3.5.6 FBC. All group toilet rooms shall be provided with at least one (1) floor drain and (1) hose bib. The floor shall be sloped to the drain. Stall urinals do not serve for the required floor drains.

Inspector Signature:

Handwritten signature of Melissa Johnson.

Client Signature:

Handwritten signature of the client.

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



3 of 3

Violation #13. Handwashing Facilities

The right handwashing sink in the boy's restroom - 118B - is inoperable. Correct prior to next inspection.

One inoperable handwashing sink within the boy's restroom - 002A -. Correct prior to next inspection.

One loose faucet within the girl's locker room. Correct prior to next inspection.

CODE REFERENCE: 13. Handwashing Facilities. 5(13)(h)1 SREF. Hot and cold water shall be provided in toilet rooms at the lavatory. Hot water temperature shall not exceed 110°F. 468.3.5.7.1 FBC. Handwashing facilities shall be located within or adjoining each toilet room.

Violation #18. Drinking Fountains

The water fountain outside of the girl's locker room is inoperable. REPEAT. Correct prior to next inspection.

The left water fountain outside the library is inoperable. REPEAT. Correct prior to next inspection.

The right water fountain outside of Building 6 is inoperable. Correct prior to next inspection.

Low water pressure at water fountain in front of the boy's group restroom in front lobby of gym. Correct prior to next inspection.

CODE REFERENCE: 18. Drinking Fountains. 5(16)(b)9 SREF. Drinking fountains shall be maintained in an operational condition at all times. 5(1)(e)8.b SREF. Toilet rooms, shower and locker rooms, drinking water fountains, and clinics shall be cleaned & disinfected daily using an appropriate Germicidal Detergent. Note: Drinking fountains shall be rinsed or flushed with plain water after disinfection. 468.3.5.1 FBC. Educational & ancillary facilities shall have drinking fountains for all occupants, in ratios & accessible as required.

Inspection Conducted By: Melissa Johnson (67067)
Inspector Contact Number: Work: (904) 529-4761 ex.
Print Client Name: Aimee Stutz
Date: 3/7/2024

Inspector Signature:

Melissa Johnson

Client Signature:

Aimee Stutz

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|---|---|
| Permit Number: 10-51-00076 Name of Facility: S Bryan Jennings Elementary Address: 215 Corona Drive City, Zip: Orange Park 32073 Type: Public Schools Owner: Clay County School Board Person In Charge: Jeanne Birtel Phone: (904) 284-6500 PIC Email: Jeanne.Birtel@MyOneClay.net | Correct By: Next Inspection Re-Inspection Date: None |
|---|---|

Inspection Information

| | |
|---|--|
| Purpose: Routine Inspection Date: 10/12/2023 | Begin Time: 12:38 PM End Time: 01:41 PM |
|---|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 242 MALES 251 | CENSUS 493 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|--|--|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction OUT 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation OUT 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms OUT 12. Toilet Facilities IN 13. Handwashing Facilities IN 14. Soap Dispensers IN 15. Shower Facilities IN 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source OUT 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION NA 23. Sanitizers NA 24. Changing Station & Mats NA 25. Hand Sink NA 26. Garbage Can ANIMAL HEALTH & SAFETY NA 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES NA 28. Maintenance/Complaint NA 29. Other |
|--|--|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 4

General Comments

Email Melissa.Johnson@FLHealth.gov when the violations listed within have been corrected.

Email Address(es): Jeanne.Birtel@myoneclay.net

Inspector Signature:

Handwritten signature of Melissa Johnson.

Client Signature:

Handwritten signature of Jeanne Birtel.

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



3 of 4

Violations Comments

Violation #5. Maintenance & Repair

There is significant water damage on the ceiling of 7B. The roof is leaking onto the floor in the classroom. WOs have been created to address this.

One light is out and needs to be replaced within rooms 21B, 22B, and within the Girls' field restroom and within the girls' restroom in 1B.

Two lights are out and need to be replaced within rooms 6 and 16B.

Three lights are out and need to be replaced within the art room and within room 12.

Four lights are out and need to be replaced within the rooms 8 and 20B.

Six lights are out and need to be replaced within the rooms 3B and 5.

Eight lights are out and need to be replaced within the room 15B.

Multiple lights are out within room 11, P35, P42, and P43.

Two light covers are cracked and one light cover is missing within the art room.

One light cover is missing within rooms 2C and 3C.

CODE REFERENCE: 5. Maintenance and Repair. 5(1)(e)8.h SREF. Light fixtures and window surfaces, both inside and outside, shall be kept clean, serviceable, and in good repair at all times. 5(1)(e)8.i. Custodial areas shall be kept clean, safe, and orderly at all times. Custodial equipment shall be in good repair at all times. 5(1)(e)8.j SREF. Building components & finishes shall be kept clean & in good repair.

Violation #9. Mechanical Ventilation

Inoperable ventilation fans within 2C and within room 11.

CODE REFERENCE: 9. Mechanical Ventilation. 5(16)(a)2 SREF. Mechanical ventilation systems shall be maintained in an operable condition at all times. 5(16)(a)4 SREF. Exhaust systems from toilet rooms, custodial closets, shower and locker rooms, athletic equipment rooms, etc., shall be maintained in an operable condition at all times. 5(13)(g)1.d SREF. Toilet rooms shall have exhaust fans vented to the exterior. 5(16)(a)10 SREF. Stationary local sources producing air-borne particulates, heat, odors, fumes, spray, vapors, smoke or gases in such quantities as to be irritating or injurious to human health shall have an exhaust system to collect and remove the contaminants. Such exhaust shall discharge directly to the exterior of the building. 468.3.6.2 FBC and 468.3.6.3 FBC. Kiln rooms and areas shall be provided with adequate exhaust to dispel emitted heat to the exterior, and they shall not be connected to any other exhaust system. 5(16)(a)5 SREF. Science laboratory fume hoods and laboratory emergency fans shall be maintained in an operable condition. 468.3.6.4 FBC. HVAC systems in chemistry labs and science classrooms shall be designed and installed to ensure that chemicals originating from the space are not recirculated. 468.3.6.5 SREF. Rooms used for the storage, handling, and disposal of chemicals used in school, college, and university laboratories shall be vented to the exterior. The ventilation system shall not be connected to the air conditioning return air system.

Violation #12. Toilet Facilities

The boys' field restroom's handicap stall is missing soap. Correct prior to next inspection.

CODE REFERENCE: 12. Toilet Facilities. 5(16)(b)2.c SREF. Deodorizers shall not be used in toilet rooms. 5(10)(f) SREF. Toilet and bath accessories, including grab bars; toilet paper dispensers; paper towel dispensers or hot-air drying devices; napkin disposal units; shelving, and mirrors, where provided, shall be maintained in a safe and secure condition at all times. The use of common or public towels shall not be permitted. 5(13)(f)4 SREF. Toilet facilities shall have a nonslip, impervious floor, impervious base, and minimum four foot- high impervious wainscot. 5(13)(p)2 SREF. Each staff toilet room shall be provided with at least one water closet and one lavatory and shall be provided with hot and cold water at the lavatory. 5(14)(b)10.a SREF. Walls in toilet rooms shall be finished with impervious materials to a minimum height of four feet. Floor and base in individual or group toilet rooms shall be impervious. 468.3.5.4 FBC. The entry to each group toilet room shall be provided with a door, partition, or other shielding device to block from view the occupants in the toilet room. If a door is provided, it shall have a closer. 5(16)(b)1 SREF. Toilet facilities shall be maintained in a satisfactory state of repair at all times. 5(16)(b)2.a. SREF. Water closets, urinals, lavatories, faucets, flush valves, dispensers, partitions, lower half of walls, and floors shall be maintained in a clean & sanitary condition at all times.

Violation #18. Drinking Fountains

The water fountains within rooms 12, 24B, and within the art room have low water pressure.

CODE REFERENCE: 18. Drinking Fountains. 5(16)(b)9 SREF. Drinking fountains shall be maintained in an operational condition at all times. 5(1)(e)8.b SREF. Toilet rooms, shower and locker rooms, drinking water fountains, and clinics shall be cleaned & disinfected daily using an appropriate Germicidal Detergent. Note: Drinking fountains shall be rinsed or flushed with plain water after disinfection. 468.3.5.1 FBC. Educational & ancillary facilities shall have drinking fountains for all occupants, in ratios & accessible as required.

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



4 of 4

Inspection Conducted By: Melissa Johnson (67067)
Inspector Contact Number: Work: (904) 529-4761 ex.
Print Client Name: Jeanne Birtel
Date: 10/12/2023

Inspector Signature:

Handwritten signature of Melissa Johnson in blue ink.

Client Signature:

Handwritten signature of Jeanne Birtel in blue ink.

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|---|---|
| Permit Number: 10-51-00836 Name of Facility: Shadowlawn Elementary School Address: 2945 County Road 218 City, Zip: Green Cove Springs 32043 Type: Public Schools Owner: Clay County School Board Person In Charge: Adam Hall (Ms. Bianca Montoro) Phone: (904) 336-3375 PIC Email: Bianca.montoro@myoneclay.net | Correct By: Next Inspection Re-Inspection Date: None |
|---|---|

Inspection Information

| | |
|---|--|
| Purpose: Routine Inspection Date: 10/31/2023 | Begin Time: 12:56 PM End Time: 02:06 PM |
|---|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 400 MALES 400 | CENSUS 800 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|--|---|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction IN 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms OUT 12. Toilet Facilities IN 13. Handwashing Facilities IN 14. Soap Dispensers NA 15. Shower Facilities NA 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source IN 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION NA 23. Sanitizers NA 24. Changing Station & Mats NA 25. Hand Sink NA 26. Garbage Can ANIMAL HEALTH & SAFETY NA 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES IN 28. Maintenance/Complaint IN 29. Other |
|--|---|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

General Comments

| |
|---|
| Early Release day Conditions satisfactory Email Address(es): Bianca.montoro@myoneclay.net |
|---|

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 2

Violations Comments

Violation #12. Toilet Facilities

One restroom 726b is out of order

CODE REFERENCE: 12. Toilet Facilities. 5(16)(b)2.c SREF. Deodorizers shall not be used in toilet rooms. 5(10)(f) SREF. Toilet and bath accessories, including grab bars; toilet paper dispensers; paper towel dispensers or hot-air drying devices; napkin disposal units; shelving, and mirrors, where provided, shall be maintained in a safe and secure condition at all times. The use of common or public towels shall not be permitted. 5(13)(f)4 SREF. Toilet facilities shall have a nonslip, impervious floor, impervious base, and minimum four foot- high impervious wainscot. 5(13)(p)2 SREF. Each staff toilet room shall be provided with at least one water closet and one lavatory and shall be provided with hot and cold water at the lavatory. 5(14)(b)10.a SREF. Walls in toilet rooms shall be finished with impervious materials to a minimum height of four feet. Floor and base in individual or group toilet rooms shall be impervious. 468.3.5.4 FBC. The entry to each group toilet room shall be provided with a door, partition, or other shielding device to block from view the occupants in the toilet room. If a door is provided, it shall have a closer. 5(16)(b)1 SREF. Toilet facilities shall be maintained in a satisfactory state of repair at all times. 5(16)(b)2.a. SREF. Water closets, urinals, lavatories, faucets, flush valves, dispensers, partitions, lower half of walls, and floors shall be maintained in a clean & sanitary condition at all times.

Inspection Conducted By: Henry Klesh (5622)
Inspector Contact Number: Work: (904) 278-3786 ex.
Print Client Name: Adam Hall
Date: 10/31/2023

Inspector Signature:

Handwritten signature of Henry Klesh.

Client Signature:

Handwritten signature of Bena P. Montalvo.

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|--|--|
| Permit Number: 10-51-2767228 Name of Facility: Spring Park School #0671 Address: 3530 CR 315 City, Zip: Green Cove Springs 32043 Type: Public Schools Owner: Clay County School Board Person In Charge: Christine Fisher Phone: 904-336-6375 PIC Email: Christine.Fisher@myoneclay.net | Correct By: None Re-Inspection Date: None |
|--|--|

Inspection Information

| | |
|--|--|
| Purpose: Routine Inspection Date: 9/13/2023 | Begin Time: 01:00 PM End Time: 01:40 PM |
|--|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 341 MALES 341 | CENSUS 682 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|--|--|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction IN 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms IN 12. Toilet Facilities IN 13. Handwashing Facilities IN 14. Soap Dispensers NA 15. Shower Facilities NA 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source IN 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION NA 23. Sanitizers NA 24. Changing Station & Mats NA 25. Hand Sink NA 26. Garbage Can ANIMAL HEALTH & SAFETY NA 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES NA 28. Maintenance/Complaint NA 29. Other |
|--|--|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 2

General Comments

Initial inspection- New school- conditions satisfactory
Early dismissal- Students not on site

Email Address(es): Christine.Fisher@myoneclay.net

Violations Comments

No Violation Comments Available

Inspection Conducted By: Henry Klesh (5622)
Inspector Contact Number: Work: (904) 278-3786 ex.
Print Client Name: Christine Fisher
Date: 9/13/2023

Inspector Signature:

Handwritten signature of Henry Klesh.

Client Signature:

Handwritten signature of Christine Fisher.

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|---|---|
| Permit Number: 10-51-00708 Name of Facility: Swimming Pen Elementary School Address: 1630 Woodpecker Lane City, Zip: Middleburg 32068 Type: Public Schools Owner: Clay County School Board Person In Charge: Cheryl Larson (Principal) Phone: 904-336-3475 PIC Email: Cheryl.larson@myoneclay.net | Correct By: Next Inspection Re-Inspection Date: None |
|---|---|

Inspection Information

| | |
|--|--|
| Purpose: Routine Inspection Date: 6/13/2024 | Begin Time: 10:15 AM End Time: 11:34 AM |
|--|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 250 MALES 250 | CENSUS 500 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|--|---|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction IN 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms IN 12. Toilet Facilities IN 13. Handwashing Facilities IN 14. Soap Dispensers IN 15. Shower Facilities IN 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source IN 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal OUT 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION IN 23. Sanitizers IN 24. Changing Station & Mats IN 25. Hand Sink IN 26. Garbage Can ANIMAL HEALTH & SAFETY IN 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES IN 28. Maintenance/Complaint IN 29. Other |
|--|---|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

Inspector Signature:

J. J. J.

Client Signature:

MARIE A. JONES

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 2

General Comments

Inspection conducted with Building official Mark Thomas (Mark.thomas@myoneclay.net)
Bldgs 500 and 600 were inaccessible due to floor waxing
Condition Satisfactory

Email Address(es): Cheryl.larson@myoneclay.net;
Mark.thomas@myoneclay.net

Violations Comments

Violation #20. Solid Waste
Dumpster needs a plug and lids are damaged
CODE REFERENCE: 20. Solid Waste. 5.(1)(e)8.e SREF. Trash and waste containers shall be provided in all areas, sufficient in number and emptied daily. Trash shall be stored in bins or containers in a central waste disposal area until removed. 5(1)(e)8.f SREF. Garbage, trash, & rubbish shall be collected, stored, and disposed of at a frequency and manner that prevents a sanitary nuisance. 5(1)(c)(d) SREF. Waste containers, including dumpsters, shall be accessible for maintenance and sanitation. Collectors and dumpsters shall be located on a concrete slab. Wet garbage shall be stored in impermeable, leak-proof, fly-tight containers. 468.2.3 FBC. A smooth nonabsorbent surface shall be provided for outdoor waste containers.

Inspection Conducted By: Henry Klesh (5622)
Inspector Contact Number: Work: (904) 278-3786 ex.
Print Client Name: Cheryl Larson
Date: 6/13/2024

Inspector Signature:

Handwritten signature of Henry Klesh.

Client Signature:

Handwritten signature of Mark Thomas.

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|---|---|
| Permit Number: 10-51-00530 Name of Facility: Thunderbolt Elementary School Address: 2020 Thunderbolt Road City, Zip: Fleming Island 32003 Type: Public Schools Owner: Clay County School Board Person In Charge: Jessica Eckels Phone: 904-336-3675 PIC Email: Jessica.eckels@myoneclay.net | Correct By: Next Inspection Re-Inspection Date: None |
|---|---|

Inspection Information

| | |
|---|--|
| Purpose: Routine Inspection Date: 10/12/2023 | Begin Time: 12:20 PM End Time: 01:45 PM |
|---|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 393 MALES 407 | CENSUS 800 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|--|---|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction IN 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms IN 12. Toilet Facilities IN 13. Handwashing Facilities IN 14. Soap Dispensers NA 15. Shower Facilities NA 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source IN 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal OUT 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION NA 23. Sanitizers NA 24. Changing Station & Mats NA 25. Hand Sink NA 26. Garbage Can ANIMAL HEALTH & SAFETY NA 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES NA 28. Maintenance/Complaint NA 29. Other |
|--|---|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

General Comments

| |
|---|
| Other conditions satisfactory |
| Email Address(es): Jessica.eckels@myoneclay.net |

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 2

Violations Comments

Violation #20. Solid Waste

Ensure dumpsters have lids and are leakproof

CODE REFERENCE: 20. Solid Waste. 5.(1)(e)8.e SREF. Trash and waste containers shall be provided in all areas, sufficient in number and emptied daily. Trash shall be stored in bins or containers in a central waste disposal area until removed. 5(1)(e)8.f SREF. Garbage, trash, & rubbish shall be collected, stored, and disposed of at a frequency and manner that prevents a sanitary nuisance. 5(11)(c)(d) SREF. Waste containers, including dumpsters, shall be accessible for maintenance and sanitation. Collectors and dumpsters shall be located on a concrete slab. Wet garbage shall be stored in impermeable, leak-proof, fly-tight containers. 468.2.3 FBC. A smooth nonabsorbent surface shall be provided for outdoor waste containers.

Inspection Conducted By: Henry Klesh (5622)
Inspector Contact Number: Work: (904) 278-3786 ex.
Print Client Name: Jessica Eckels
Date: 10/12/2023

Inspector Signature:

Handwritten signature of Henry Klesh.

Client Signature:

Handwritten signature of the client, Jessica Eckels.

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|---|---|
| Permit Number: 10-51-00079 Name of Facility: Tynes Elementary School Address: 1550 Tynes Boulevard City, Zip: Middleburg 32068 Type: Public Schools Owner: Clay County School Board Person In Charge: Robert Johnson Phone: (904) 284-6500 PIC Email: Robert.Johnson1@myoneclay.net | Correct By: Next Inspection Re-Inspection Date: None |
|---|---|

Inspection Information

| | |
|---|--|
| Purpose: Routine Inspection Date: 3/5/2024 | Begin Time: 11:00 AM End Time: 12:07 PM |
|---|--|

Additional Information

| | |
|--------------------------------------|-------------------|
| FEMALES 440 MALES 584 | CENSUS 1024 |
|--------------------------------------|-------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|---|--|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction OUT 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms IN 12. Toilet Facilities OUT 13. Handwashing Facilities IN 14. Soap Dispensers NA 15. Shower Facilities NA 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source OUT 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION NA 23. Sanitizers NA 24. Changing Station & Mats NA 25. Hand Sink NA 26. Garbage Can ANIMAL HEALTH & SAFETY NA 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES NA 28. Maintenance/Complaint NA 29. Other |
|---|--|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

Inspector Signature:

Robert Johnson

Client Signature:

[Handwritten Signature]

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 2

General Comments

Correct the violations listed within prior to next inspection. Email Melissa.Johnson@FLHealth.gov when the violations listed within have been corrected and/or if you have any questions or concerns.

Satisfactory conditions at time of inspection.

Email Address(es): Robert.Johnson1@MyOneClay.net

Violations Comments

Violation #5. Maintenance & Repair

Two cracked light covers within Portable 22. REPEAT. Correct prior to next inspection.

Missing light cover in Portable 65. Correct prior to next inspection.

Signs of water damage on the ceiling of Portable 62, Portable 65, and room 334. Correct prior to next inspection.

Multiple lights are out within portables 61 and 65 and rooms 405, 420, and 502. Correct prior to next inspection.

CODE REFERENCE: 5. Maintenance and Repair. 5(1)(e)8.h SREF. Light fixtures and window surfaces, both inside and outside, shall be kept clean, serviceable, and in good repair at all times. 5(1)(e)8.i. Custodial areas shall be kept clean, safe, and orderly at all times. Custodial equipment shall be in good repair at all times. 5(1)(e)8.j SREF. Building components & finishes shall be kept clean & in good repair.

Violation #13. Handwashing Facilities

Room 517 is missing soap. Correct prior to next inspection.

Inoperable handwashing sink within portable 42. Correct prior to next inspection.

CODE REFERENCE: 13. Handwashing Facilities. 5(13)(h)1 SREF. Hot and cold water shall be provided in toilet rooms at the lavatory. Hot water temperature shall not exceed 110°F. 468.3.5.7.1 FBC. Handwashing facilities shall be located within or adjoining each toilet room.

Violation #18. Drinking Fountains

One inoperable drinking fountain near the cafeteria. REPEAT. A workorder has been created to address this. Correct prior to next inspection.

Both of the drinking fountains located within each of the playgrounds near the portables are inoperable. REPEAT. Correct prior to next inspection.

The left water fountain outside of the media center is inoperable. Correct prior to next inspection.

CODE REFERENCE: 18. Drinking Fountains. 5(16)(b)9 SREF. Drinking fountains shall be maintained in an operational condition at all times. 5(1)(e)8.b SREF. Toilet rooms, shower and locker rooms, drinking water fountains, and clinics shall be cleaned & disinfected daily using an appropriate Germicidal Detergent. Note: Drinking fountains shall be rinsed or flushed with plain water after disinfection. 468.3.5.1 FBC. Educational & ancillary facilities shall have drinking fountains for all occupants, in ratios & accessible as required.

Inspection Conducted By: Melissa Johnson (67067)
Inspector Contact Number: Work: (904) 529-4761 ex.
Print Client Name: Robert Johnson
Date: 3/5/2024

Inspector Signature:

Melissa Johnson

Client Signature:

Robert Johnson

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



Facility Information

RESULT: Satisfactory

| | |
|--|---|
| Permit Number: 10-51-00080 Name of Facility: W E Cherry Elementary School Address: 420 Edson Drive City, Zip: Orange Park 32073 Type: Public Schools Owner: CLAY COUNTY SCHOOL BOARD Person In Charge: Matt Pierce Phone: (904) 284-6500 PIC Email: Matthew.Pierce@MyoneClay.net | Correct By: Next Inspection Re-Inspection Date: None |
|--|---|

Inspection Information

| | |
|--|--|
| Purpose: Routine Inspection Date: 11/6/2023 | Begin Time: 11:07 AM End Time: 11:49 AM |
|--|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 291 MALES 350 | CENSUS 641 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|---|--|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction OUT 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms IN 12. Toilet Facilities OUT 13. Handwashing Facilities IN 14. Soap Dispensers NA 15. Shower Facilities NA 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source OUT 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION NA 23. Sanitizers NA 24. Changing Station & Mats NA 25. Hand Sink NA 26. Garbage Can ANIMAL HEALTH & SAFETY IN 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES NA 28. Maintenance/Complaint NA 29. Other |
|---|--|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



2 of 2

General Comments

Recommendation: The 2nd floor hallway is slippery and needs some slip-resistance added.

Correct listed violations prior to next inspection.

Email Address(es): Matthew.Pierce@MyoneClay.net;
Angela.Whiddon@myoneclay.net;
Stephanie.Raucci@MyOneClay.Net

Violations Comments

Violation #5. Maintenance & Repair
The ceiling has water damage within P50.

The girls' restroom - 69 - has two lights that are both not functional. One light is missing and the other is out.

Some light bulbs are out within P50, P43, 64, and within the art room.

Two lights are out within P57.

Two cracked light covers within room 60.

CODE REFERENCE: 5. Maintenance and Repair. 5(1)(e)8.h SREF. Light fixtures and window surfaces, both inside and outside, shall be kept clean, serviceable, and in good repair at all times. 5(1)(e)8.i. Custodial areas shall be kept clean, safe, and orderly at all times. Custodial equipment shall be in good repair at all times. 5(1)(e)8.j SREF. Building components & finishes shall be kept clean & in good repair.

Violation #13. Handwashing Facilities
One faucet within the boys' restroom - 68 - is loose. A workorder has been created to correct this.

CODE REFERENCE: 13. Handwashing Facilities. 5(13)(h)1 SREF. Hot and cold water shall be provided in toilet rooms at the lavatory. Hot water temperature shall not exceed 110°F. 468.3.5.7.1 FBC. Handwashing facilities shall be located within or adjoining each toilet room.

Violation #18. Drinking Fountains
One of the water fountains within the boiler room breezeway has low water pressure.

CODE REFERENCE: 18. Drinking Fountains. 5(16)(b)9 SREF. Drinking fountains shall be maintained in an operational condition at all times. 5(1)(e)8.b SREF. Toilet rooms, shower and locker rooms, drinking water fountains, and clinics shall be cleaned & disinfected daily using an appropriate Germicidal Detergent. Note: Drinking fountains shall be rinsed or flushed with plain water after disinfection. 468.3.5.1 FBC. Educational & ancillary facilities shall have drinking fountains for all occupants, in ratios & accessible as required.

Inspection Conducted By: Melissa Johnson (67067)
Inspector Contact Number: Work: (904) 529-4761 ex.
Print Client Name: Matthew Pierce
Date: 11/6/2023

Inspector Signature:

Client Signature:

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



**** BarnettP 11/7/2023 11:17:06 AM ****

1 of 2

Facility Information

RESULT: Satisfactory

Permit Number: 10-51-00041
Name of Facility: Wilkinson Elementary
Address: 4965 County Road 218 W
City, Zip: Middleburg 32068

**Correct By: None
Re-Inspection Date: None**

Type: Public Schools
Owner: Clay County School Board
Person In Charge: Ms. Hayward Phone: (904) 336-4098
PIC Email:

Inspection Information

Purpose: Routine
Inspection Date: 10/30/2023

Begin Time: 11:40 AM
End Time: 12:30 PM

Additional Information

FEMALES 339
MALES 336

CENSUS 675

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|---|--|---|
| SCHOOL SANITATION | IN 11. Group Toilet Rooms | IN 21. Pest Control |
| IN 1. School Site | IN 12. Toilet Facilities | SAFETY |
| IN 2. Playground, Equip & Athletic Fields* | IN 13. Handwashing Facilities | IN 22. First Aid Kit |
| IN 3. Athletic & Playground Equipment | IN 14. Soap Dispensers | DIAPER CHANGING STATION |
| BUILDING CONST/MAINT. | NA 15. Shower Facilities | IN 23. Sanitizers |
| IN 4. Construction | NA 16. Showers Water Temperatures | IN 24. Changing Station & Mats |
| IN 5. Maintenance & Repair | WATER SUPPLY | IN 25. Hand Sink |
| IN 6. Lighting Standards | IN 17. Approved Source | IN 26. Garbage Can |
| IN 7. Heating, Ventilation, A/C Standards | IN 18. Drinking Fountains | ANIMAL HEALTH & SAFETY |
| IN 8. Natural Ventilation | LIQUID WASTE & WASTE WATER | NA 27. Animal Maintenance/Aggressive |
| IN 9. Mechanical Ventilation | IN 19. Sewage Disposal | DORM/RESIDENTIAL FACILITIES |
| SANITARY FACILITIES | IN 20. Solid Waste | NA 28. Maintenance/Complaint |
| IN 10. Provided/Accessible/Separation | PEST CONTROL | IN 29. Other |

Marking Key: **IN** = the act or item was observed to meet standards; **OUT** = the act or item was observed not to meet standards; **NO** = the act or item was not observed to be occurring at the time of inspection; **NA** = the act or item is not performed by the facility or not part of the operation

Violation Key: * = 2. Playground, Equipment & Athletic Fields

General Comments

No violations observed

Email Address(es): Cassandra.Hall@oneclay.net

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



**** BarnettP 11/7/2023 11:17:06 AM ****

2 of 2

Violations Comments

No Violation Comments Available

Inspection Conducted By: Alan Davis (080243)
Inspector Contact Number: Work: (904) 278-3787 ex.
Print Client Name:
Date: 10/30/2023

Inspector Signature:

Handwritten signature of Alan Davis in blue ink.

Form Number: DH 4030 12/16A

Client Signature:

Handwritten signature of the client in blue ink.

10-51-00041 Wilkinson Elementary

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT**



**** Barnettp 10/25/2023 1:03:22 PM ****

1 of 2

Facility Information

RESULT: Satisfactory

| | |
|--|--|
| Permit Number: 10-51-00042 Name of Facility: Wilkinson Jr High Address: 5025 County Road 218 City, Zip: Middleburg 32068 Type: Public Schools Owner: Clay County School Board Person In Charge: Mr. Warmouth Phone: 904336-6175 PIC Email: | Correct By: None Re-Inspection Date: None |
|--|--|

Inspection Information

| | |
|---|--|
| Purpose: Routine Inspection Date: 10/16/2023 | Begin Time: 11:20 AM End Time: 12:20 PM |
|---|--|

Additional Information

| | |
|--------------------------------------|------------------|
| FEMALES 397 MALES 408 | CENSUS 805 |
|--------------------------------------|------------------|

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked below violate one or more of the requirements of Rule 6A-2.0010, of the Florida Administrative Code, Chapter 5, section 5 of the State Requirements for Educational Facilities 2014 (SREF); and sections 453 and 468 of the Florida Building Code 6th Edition (2017). Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violation Markings

| | | |
|--|--|--|
| SCHOOL SANITATION IN 1. School Site IN 2. Playground, Equip & Athletic Fields* IN 3. Athletic & Playground Equipment BUILDING CONST/MAINT. IN 4. Construction IN 5. Maintenance & Repair IN 6. Lighting Standards IN 7. Heating, Ventilation, A/C Standards IN 8. Natural Ventilation IN 9. Mechanical Ventilation SANITARY FACILITIES IN 10. Provided/Accessible/Separation | IN 11. Group Toilet Rooms IN 12. Toilet Facilities IN 13. Handwashing Facilities IN 14. Soap Dispensers IN 15. Shower Facilities IN 16. Showers Water Temperatures WATER SUPPLY IN 17. Approved Source IN 18. Drinking Fountains LIQUID WASTE & WASTE WATER IN 19. Sewage Disposal IN 20. Solid Waste PEST CONTROL | IN 21. Pest Control SAFETY IN 22. First Aid Kit DIAPER CHANGING STATION NA 23. Sanitizers NA 24. Changing Station & Mats NA 25. Hand Sink NA 26. Garbage Can ANIMAL HEALTH & SAFETY IN 27. Animal Maintenance/Aggressive DORM/RESIDENTIAL FACILITIES IN 28. Maintenance/Complaint IN 29. Other |
|--|--|--|

Marking Key: IN = the act or item was observed to meet standards; OUT = the act or item was observed not to meet standards; NO = the act or item was not observed to be occurring at the time of inspection; NA = the act or item is not performed by the facility or not part of the operation

*Violation Key: * = 2. Playground, Equipment & Athletic Fields*

General Comments

| |
|---|
| No violations observed |
| Email Address(es): michael.mosley@myoneclay.net |

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC SCHOOL
INSPECTION REPORT



**** Barnettp 10/25/2023 1:03:22 PM ****

2 of 2

Violations Comments

No Violation Comments Available

Inspection Conducted By: Alan Davis (080243)
Inspector Contact Number: Work: (904) 278-3787 ex.
Print Client Name:
Date: 10/16/2023

Inspector Signature:

Handwritten signature of Alan Davis.

Client Signature:

Handwritten signature of the client.