

Clay County Utility Authority

3176 Old Jennings Road Middleburg, Florida 32068-3907 Telephone (904) 272-5999 Facsimile (904) 213-2498 www.clayutility.org

Working together to protect public health, conserve our natural resources, and create long-term value for our ratepayers,

September 1, 2011

Clay County School Board Jim Connell, Assistant Superintendent for Support Services 900 Walnut Street Green Cove Springs, Florida 32043

Re: Easement across Ridaught Elementary School property to accommodate our 24" reclaimed water main.

Dear Jim:

Thank you for meeting with us at the school site this morning to review your concerns about removal and or potential damage to the mature oak trees along the westerly side of your westerly parking lot.

To alleviate your concerns, we agree to directional drill the portion of the installation that will impact those trees. In addition, we agree to fence off the portion of our work area along that same north/south section of pipeline which is open cut instead of directional drilled.

It is our understanding that you did not have any other restrictions on installations west of the point where the pipeline turns to the west.

Please feel free to contact me at (904) 213-2401, or via email at ravery@clayutility.org if I need to further clarify any of our concessions discussed above.

Very truly yours,

CLAY COUNTY UTILITY AUTHORITY

Ray O. Avery **Executive Director**

ROA/sla

cc:

Phil Hans, Support Services Tom Morris, CCUA David Bolam, CCUA Alex Ainza, CCUA Lynn Valentin, CCUA



Clay County Utility Authority

3176 Old Jennings Road Middleburg, Florida 32068-3907 Telephone (904) 272-5999 Facsimile (904) 213-2498 www.clayutility.org

Working together to protect public health, conserve our natural resources, and create long-term value for our ratepayers.

August 25, 2011

Mr. James Connell Asst. Superintendent for Support Services The School Board of Clay County 900 Walnut Street Green Cove Springs, Florida 32043

Parcel No. 04-05-25-008999-001-00 - Request for the School Board's consideration in Re: granting an easement to the Clay County Utility Authority (CCUA) to accommodate a reclaimed water main connection from Apalachicola Blvd. to our Mid-Clay Wastewater

Treatment Plant.

Dear Mr. Connell,

We are in the process of seeking right-of-way to accommodate a reclaimed water main extension from Apalachicola Blvd. to our Mid-Clay Wastewater Treatment Plant. This is part of a major project that will allow us to provide additional reclaimed water supply to the Lake Asbury area where we have a growing need for reclaimed water. This will also provide the additional benefit of eliminating substantial discharge of treated wastewater effluent to the surface water of the state. Therefore, we have a need to obtain a utility easement across your property, at the locations shown on the attached drawings.

Would you please process this request through the proper channels for consideration of what your requirements would be in order to grant this easement.

We have enclosed two copies of the proposed easement document, for your review. Please review the easement document, and if it meets the Board's approval, please process it through the proper channel for approval and execution, and return one original copy to us for further processing. The second copy of the document is for your records.

Please feel free to call either myself, at (904) 213-2401, or Lynn Valentin, at (904) 213-2471, if you have any questions or wish to schedule a meeting to discuss this request.

Very truly yours,

CLÁY COUNTY UTILITY AUTHORITY

Raý O. Avery

Executive Director

ROA/lov **Enclosures**

cc:

Ben Wortham, Superintendent

David Bolam Tom Morris